

PREMIUM CORDLESS TABLE LAMPS





Customize your colours

All of our products are available in custom colours – rich and vibrant, for a unique visual experience. Not only does this bring new life to a minimalist concept, it also adds detailed decorative elements.

Weather & Atmospheric Resistent Finish

01 Matt White	02 Matt Black	07 Dark Grey	08 Matt Yellow	09 Light Grey	10 Cadet Blue
11 Ocean Blue	12 Pale Green	13 Grey Beige	14 Patina Green	15 Ruby Red	16 Deep Orange
17 Cobolt Blue	18 Matt Green Grey	19 Corten	20 Matt Sand	21 Terracotta	22 Matt Blue

Metallic Finish

03 Lustre Gold	04 Lustre Chrom	05 Lustre Space Gray	06 Lustre Copper
-------------------	--------------------	-------------------------	---------------------

Premium Cordless Table Lamps

Ultra High
Bright LEDs



More than
8 hours at
100% intensity



Brightness
Memory
Function



Touch
Button



Visual Comfort
Optical Diffuser



Multiple Colour
Temperatures



Stepless
Dimmable
5% - 100%



Waterproof
IP65





740010-xx

xx = color code - see page 2

Technical Information

- 2.3 W
- 234 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 4.5 hours
- Working time > 8 hours (100% light intensity)

Art.-No. 740900 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):
One charger shelf charge 15 table lamps together



Touch
Button



Stepless Dimmable
5-100%



2200&2700 K
color temperature



Brightness
memory function



Li-ion battery
3000 mAh



Working time
> 8 h (100%)



Safety
Class III



Waterproof
IP65





740020-xx

xx = color code - see page 2

Technical Information

- 2.2 W
- 223 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 4.5 hours
- Working time > 8 hours (100% light intensity)

Art.-No. 740901 Adapter (included):


- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):
One charger shelf charge 15 table lamps together



Touch
Button



Stepless Dimmable
5-100%



2200&2700 K
color temperature



Brightness
memory function



Li-ion battery
3000 mAh



Working time
> 8 h (100%)



Safety
Class III



Waterproof
IP65





740030-xx

xx = color code - see page 2

Technical Information

- 2.2 W
- 205 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 4.5 hours
- Working time > 8 hours (100% light intensity)

Art.-No. 740902 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):
One charger shelf charge 15 table lamps together




Touch
Button



Stepless Dimmable
5-100%



2200&2700 K
color temperature



Brightness
memory function



Li-ion battery
3000 mAh



Working time
> 8 h (100%)



Safety
Class III



Waterproof
IP65



740040-xx

xx = color code - see page 2

Technical Information

- 2.9 W
- 215 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 6.5 hours
- Working time > 8 hours (100% light intensity)

Art.-No. 740903 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):
One charger shelf charge 6 table lamps together



Touch
Button



Stepless Dimmable
5-100%



2200&2700 K
color temperature



Brightness
memory function



Li-ion battery
3000 mAh



Working time
> 8 h (100%)



Safety
Class III



Waterproof
IP65





740050-xx

xx = color code - see page 2

Technical Information

- 2.5 W
- 176 lm
- RGB, 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 4.5 hours
- Working time > 8 hours (100% light intensity)

Art.-No. 740901 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):
One charger shelf charge 15 table lamps together




Touch
Button



Stepless Dimmable
5-100%



RGBW



Brightness
memory function



Li-ion battery
3000 mAh



Working time
> 8 h (100%)



Safety
Class III



Waterproof
IP65



250 mm

75 mm

740060-xx

xx = color code - see page 2

Technical Information

- 3.5 W
- 270 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 6.5 hours
- Working time > 7,5 hours (100% light intensity)

Art.-No. 740904 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):
One charger shelf charge 6 table lamps together




Touch
Button



Stepless Dimmable
5-100%



2200&2700 K
color temperature



Brightness
memory function



Li-ion battery
3000 mAh



Working time
> 7,5 h (100%)



Safety
Class III



Waterproof
IP65



365 mm

112 mm



740070-xx

xx = color code - see page 2

Technical Information

- 2.2 W
- 160 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 4.5 hours
- Working time > 9.5 hours (100% light intensity)

Art.-No. 740901 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):
One charger shelf charge 15 table lamps together




Touch
Button



Stepless Dimmable
5-100%



2200&2700 K
color temperature



Brightness
memory function



Li-ion battery
3000 mAh



Working time
> 9.5 h (100%)



Safety
Class III



Waterproof
IP65





740080-xx

xx = color code - see page 2

Technical Information

- 2.5 W
- 205 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 6.5 hours
- Working time > 7.5 hours (100% light intensity)

Art.-No. 740905 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):
One charger shelf charge 6 table lamps together



Touch
Button



Stepless Dimmable
5-100%



2200&2700 K
color temperature



Brightness
memory function



Li-ion battery
3000 mAh



Working time
> 7.5 h (100%)



Safety
Class III



Waterproof
IP65





740090-xx

xx = color code - see page 2

Technical Information

- 2.5 W
- 200 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 6.5 hours
- Working time > 8.5 hours (100% light intensity)

Art.-No. 740905 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):
One charger shelf charge 6 table lamps together




Touch
Button



Stepless Dimmable
5-100%



2200&2700 K
color temperature



Brightness
memory function



Li-ion battery
3000 mAh



Working time
> 8.5 h (100%)



Safety
Class III



Waterproof
IP65





740100-xx

xx = color code - see page 2

Technical Information

- 2.5 W
- 180 lm
- RGB+2700, 3000 & 4000 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 6.5 hours
- Working time > 11 hours (100% light intensity)

Art.-No. 740909 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):
One charger shelf charge 15 table lamps together




Touch
Button



Stepless Dimmable
5-100%



2700, 3000, 4000 K
color temperature



Brightness
memory function



Li-ion battery
3000 mAh



Working time
> 11 h (100%)



Safety
Class III



RGBW



Waterproof
IP65



740110-xx

xx = color code - see page 2

Technical Information

- 2.2 W
- 150 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 6 hours, USB-C Type
- Working time > 9 hours (100% light intensity)




Touch
Button



Stepless Dimmable
5-100%



2200&2700 K
color temperature



Brightness
memory function



Li-ion battery
3000 mAh



Working time
> 9 h (100%)



Safety
Class III



Waterproof
IP65



740120-xx

xx = color code - see page 2

Technical Information

- 1 W
- 10 lm
- 2200 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: <2.5 hours
- Working time > 7.5 hours (100% light intensity)

Art.-No. 740901 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):

Stackable up to 3 levels.

One charger shelf charge 15 table lamps together



Touch
Button




Stepless Dimmable
15-100%



2200 K
color temperature



Li-ion battery
1500 mAh



Working time
> 7.5 h (100%)



Safety
Class III



Waterproof
IP65





740130-xx

xx = color code - see page 2

Technical Information

- 1 W
- 10 lm
- 2200 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: <2.5 hours
- Working time > 7.5 hours (100% light intensity)

Art.-No. 740901 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):
Stackable up to 3 levels.
One charger shelf charge 15 table lamps together



Touch Button



Stepless Dimmable
15-100%



2200 K
color temperature



Li-ion battery
1500 mAh



Working time
> 7,5 h (100%)



Safety
Class III



Waterproof
IP65





740140-xx

xx = color code - see page 2

Technical Information

- 1 W
- 10 lm
- 2200 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: <2.5 hours
- Working time > 7.5 hours (100% light intensity)

Art.-No. 740901 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):
Stackable up to 3 levels.
One charger shelf charge 15 table lamps together




Touch
Button




Stepless Dimmable
15-100%



2200 K
color temperature



Li-ion battery
1500 mAh



Working time
> 7.5 h (100%)



Safety
Class III



Waterproof
IP65



Charging Systems

Recharging and storage multi-contact charging shelf. Stackable up to 3 levels. One charger shelf charges 6 or 15 lamps together



740906
Charger shelf
for 6 lamps
incl. 4 plastic shelf supports
(47 x 29 cm)



740907
Charger shelf for 15 lamps
incl. 4 plastic shelf supports
(47 x 29 cm)



TAYLORMADE. LIGHT. DESIGN.



Phone (+49) 4242 840340
info@ruteclightdesign.com
www.ruteclightdesign.com