



WORLD OF PROFILES



Aluminum profile 6/6

aluminum profile, extremely small, internal size for strips up to a width of 3.5 mm

- for indoor use
- material: aluminum anodised
- frosted, for a homogeneous lighting
- material cover: polycarbonate
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately
- **not suitable for VARDAflex in-feeders and direct connectors**




Type	Length m	Article no.
aluminum profile 6/6	2	65050
aluminum profile 6/6	3	65055
cover frosted	2	65051
cover frosted	3	65056
Accessories		Article no.
end-cap		65053
end cap in-feeder		65052
mounting clamp - metal		65054

Aluminum profile 8/9

aluminum profile, extremely small, internal size for strips up to a width of 5 mm

- for indoor use
- material: aluminum anodised
- flat cover
- material cover: polycarbonate
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately
- **not suitable for VARDAflex in-feeders and direct connectors**




Type	Length m	Article no.
aluminum profile 8/9	2	65375
aluminum profile 8/9	3	65378
cover frosted	2	65388
cover frosted	3	65387
Accessories		Article no.
end cap in-feeder		65381
end cap		65382
mounting clamp - metal		65380

Aluminum profile 8/8

aluminum profile, extremely small, without aluminum visible edge, internal size for strips

- for indoor use
- material: aluminum anodised
- new overlapping cover, frosted, for a homogeneous lighting
- material cover: polycarbonate
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately
- **not suitable for VARDAflex in-feeders and direct connectors**




Type	Length m	Article no.
aluminum profile 8/8	2	69415
cover frosted	2	69478
Accessories		Article no.
end cap in-feeder		69468
mounting clamp - metal		69460

Aluminum profile 8/8

corner profile, internal size for strips up to a width of 3.5 mm

- for indoor use
- material: aluminum anodised
- material cover: polycarbonate
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately




Type	Length m	Article no.
aluminum profile 8/8	2	61645
cover opal white	2	61678
Accessories		Article no.
end cap in-feeder		61668
mounting clamp - stainless steel		61660

Aluminum profile 12/8

aluminum profile, extremely flat, without aluminum visible edge, internal size for strips up to a width of 6 mm

- for indoor use
- material: aluminum anodised
- new overlapping cover, frosted, for a homogeneous lighting
- material cover: polycarbonate
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately
- **not suitable for VARDflex in-feeders and direct connectors**



Type

aluminum profile 12/8
cover frosted

Accessories

end cap in-feeder
mounting clamp - metal

Length m Article no.

2 69405
2 69498


Article no.

69488
69480

Aluminum profile 16/9

aluminum profile, flat, without aluminum visible edge, internal size for strips up to a width of 12.2 mm

- for indoor use
- material: aluminum anodised
- new overlapping cover, frosted, for a homogeneous lighting
- material cover: polycarbonate
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately



Length m Article no.

2 69425
3 69428
2 69458
3 69459


Article no.

69448
69449
69440

Aluminum profile 23/9 K

aluminum profile, for wall or shelf installation, asymmetric, internal size for strips up to width of 5.5 mm

- for indoor use
- material: aluminum anodised
- material cover: polycarbonate
- delivery notice: delivery without cover and end caps - please order them separately
- **not suitable for VARDflex in-feeders and direct connectors**



Type

aluminum profile 23/9 K
cover frosted

Accessories

end cap left
end cap right

Length m Article no.

2 65090
2 65389


Article no.

65093
65092

Aluminum profile 16/15

flat circular profile, internal size for strips up to a width of 13 mm

- for indoor use
- material: aluminum anodised
- semicircular cover for homogeneous lighting
- material cover: polycarbonate
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately



Length m Article no.

2 69105
2 69189

Article no.


69178
69179
69190
69191



Photo:XtravaganT@fotolia.com

Aluminum profile 17/8 and aluminum collar profiles 17/8K standard aluminum profile in aluminum, white (RAL9016) and black (RAL9005), internal size for strips up to a width of 12.2 mm

- for indoor and outdoor use
- material: aluminum anodised
- new slightly semicircular cover with optimized, optical properties
- material cover: PMMA
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately
- with IP-protected LED strip also suitable for outdoor use





Type	Length m	Article no. aluminum	Article no. white	Article no. black
aluminum profile 17/8	2	65505	65506	65502
aluminum profile 17/8	3	65508	65509	65503
aluminum profile 17/8K	2	65605	-	-
aluminum profile 17/8K	3	65608	-	-

Cover	Length m	Article no.
cover clear	2	65597
cover semi-frosted	2	65594
cover opal white	2	65592
cover clear	3	65577
cover semi-frosted	3	65574
cover opal white	3	65572
cover blacklight	2	62590
cover blacklight	3	62591

Accessories	Article no. aluminum	Article no. white	Article no. black
end cap in-feeder	65548	65546	65544
end cap	65549	65547	65545
end cap in-feeder collar	65648	-	-
end cap collar	65649	-	-
mounting clamp - metal	65540	-	-
mounting clamp - plastic	65541	-	-

Aluminum profile 17/15 and collar profiles 17/15K standard aluminum profile in aluminum, white (RAL9016) and black (RAL9005), internal size for strips up to a width of 12.2 mm

- for indoor and outdoor use
- material: aluminum anodised
- new slightly semicircular cover with optimized, optical properties
- material cover: PMMA
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately
- with IP-protected LED strip also suitable for outdoor use



Type	Length m	Article no. aluminum	Article no. white	Article no. black
aluminum profile 17/15	2	65515	65516	65512
aluminum profile 17/15	3	65518	65519	65513
aluminum profile 17/15	4,5	65517	-	-
aluminum profile 17/15K	2	65615	-	65612
aluminum profile 17/15K	3	65618	-	-

Cover	Length m	Article no.
cover clear	2	65597
cover semi-frosted	2	65594
cover opal white	2	65592
cover clear	3	65577
cover semi-frosted	3	65574
cover opal white	3	65572
cover blacklight	2	62590
cover blacklight	3	62591

Accessories	Article no. aluminum	Article no. white	Article no. black
end cap in-feeder	65538	65536	65534
end cap	65539	65537	65535
end cap in-feeder collar	65658	-	-
end cap collar	65659	-	-
mounting clamp - metal	65530	-	-
mounting clamp - plastic	65531	-	-




Aluminum profile 18/10 + asymmetric 18/10

standard aluminum profile, wide selection of covers and mounting clamps, internal size for strips up to a width of 11 mm

- for indoor use
- material: aluminum anodised
- different accessories
- material cover: polycarbonate
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately



68477 + 68892



Type Length m Article no.

aluminum profile 18/10 2 68477

aluminum profile 18/10 asymmetric 2 61477

Cover Length m Article no.

cover clear asymmetric 2 68897

cover semi-frosted asymmetric 2 68894

cover frosted 2 62898

cover frosted, high 2 68892

Accessories Length m Article no.

end cap in-feeder, high 68758

end cap, high 68759

mounting clamp, aluminum 68478

mounting profile 2 68476


Aluminum profile 23/12 and collar profiles 23/12K

standard aluminum profile, wide selection of covers and mounting clamps, internal size for strips up to a width of 18.2 mm

- for indoor use (outdoor use = PMMA)
- material: aluminum anodised
- different accessories
- material cover: polycarbonate and PMMA
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately
- with IP-protected LED strip also suitable for outdoor use (PMMA cover)



mounting clamp, aluminum 68490



Type Length m Article no. Accessories Length m Article no.

aluminum profile 23/12 2 68405 end cap in-feeder 68487

aluminum profile 23/12 3 68408 end cap 68488

aluminum profile 23/12 4 68409 end cap in-feeder, high 68498

aluminum profile 23/12K 2 68425 end cap, high 68497

Cover Length m Article no. end cap in-feeder, semicircular 68496

cover clear 2 68897 end cap, semicircular 68495

cover semi-frosted 2 68894 end cap in-feeder collar 68067

cover frosted 2 62898 end cap collar 68068

cover frosted 3 62888 mounting clamp ceiling mounting, aluminum 68489

cover frosted flat 2 68893 mounting clamp, aluminum 68490

cover frosted, PMMA (outdoor use possible) 2 68760 mounting clamp Z-form for cabinet mounting, aluminum 68499

cover frosted, semicircular 2 68891 mounting clamp corner 30° and 60°, aluminum 68479

cover frosted, high 2 68892 mounting profile 2 68440

cover lens 15° 2 68872 mounting clip adjustable 68441

cover lens 30° 2 68873


cover lens 60° 2 68874

blind cover, black 2 68871

Aluminum profile 18/12

standard aluminum profile, cover and mounting clamps, internal size for strips up to a width of 12 mm

- for indoor use
- material: aluminum anodised
- material cover: polycarbonate
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately



Type Length m Article no.

aluminum profile 18/12 2 68475

Accessories Length m Article no.

end cap in-feeder 68753

end cap 68754

mounting clamp, aluminum 68478

mounting profile 2 68476




Zahnerhaltung am Grünen Hof, Friesoythe, Installation: Elektro Schumacher, Photo Stefanie Bomhoff

Aluminum profile 20/15

aluminum profile including mounting rail and high covers, internal size for strips up to a width of 16 mm

- for indoor and outdoor use
- material: aluminum anodised
- semicircular and rectangular cover, frosted, for a homogeneous lighting
- material cover: PMMA
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately
- with IP-protected LED strip also suitable for outdoor use





Type	Length m	Article no.
aluminum profile 20/15	2	65305
cover, semicircular H20, frosted	2	65349
cover, H20, frosted	2	65348



Aluminum profile 23/18 and collar profile 23/18K

standard aluminum profile, wide selection of covers and mounting clamps, internal size for strips up to a width of 18.2 mm

- for indoor use (outdoor use = PMMA)
- material: aluminum anodised
- different accessories
- material cover: polycarbonate and PMMA
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately
- with IP-protected LED strip also suitable for outdoor use (PMMA cover)



Type	Length m	Article no.
aluminum profile 23/18	2	68415
aluminum profile 23/18	3	68418
aluminum profile 23/18K	2	68435


Cover	Length m	Article no.
cover clear	2	68897
cover semi-frosted	2	68894
cover frosted	2	62898
cover frosted	3	62888
cover frosted flat	2	68893
cover frosted, PMMA (outdoor use possible)	2	68760
cover frosted, semicircular	2	68891
cover frosted, high	2	68892
cover lens 15°	2	68872
cover lens 30°	2	68873
cover lens 60°	2	68874
blind cover, black	2	68871

Accessories	Length m	Article no.
end cap in-feeder		68482
end cap		68483
end cap in-feeder, high		68494
end cap, high		68493
end cap in-feeder, semicircular		68492
end cap, semicircular		68491
end cap in-feeder collar		68077
end cap collar		68078
mounting clamp ceiling mounting, aluminum		68489
mounting clamp, aluminum		68490
mounting clamp Z-form for cabinet mounting, aluminum		68499
mounting clamp corner 30° and 60°, aluminum		68479
mounting profile	2	68440
mounting clip adjustable		68441

Aluminum corner profile 16/16E

small corner profile, internal size for strips up to a width of 11 mm

- for indoor and outdoor use
- material: aluminum anodised
- circular and corner 90° cover for homogeneous lighting
- material cover: PMMA
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately
- with IP-protected LED strip also suitable for outdoor use




Type	Length m	Article no.	Accessories	Article no.
aluminum profile 16/16E	2	65625	end cap in-feeder rand	65688
aluminum profile 16/16E	3	65628	end cap rand	65689
cover circular opal white	2	65672	end cap in-feeder corner	65788
cover circular opal white	3	65678	end cap corner	65789
cover corner opal white	2	65673	mounting clamp	65680

Aluminum corner profile 18/18E

corner profile, internal size for strips up to a width of 12.2 mm

- for indoor and outdoor use
- material: aluminum anodised
- flat cover
- material cover: PMMA
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately
- with IP-protected LED strip also suitable for outdoor use




Type	Length m	Article no. aluminum	Article no. white	Article no. black	Accessories	Article no. aluminum	Article no. white	Article no. black
aluminum profile 18/18E	2	65635	65636	65632	end cap in-feeder	65668	65666	65664
aluminum profile 18/18E	3	65638	65639	65633	end cap	65669	65667	65665
Cover	Length m	Article no.			mounting clamp - metal	65480	-	-
cover clear	2	65597			mounting clamp - PC	65481	-	-
cover semi-frosted	2	65594						
cover opal white	2	65592						
cover clear	3	65577						
cover semi-frosted	3	65574						
cover opal white	3	65572						

Aluminum profile 35/35 and collar profile 35/35K


suitable as pendant and recessed luminaire,
internal size for strips up to a width of 30 mm

- for indoor and outdoor use
- material: aluminum anodised
- flat cover
- material cover: PMMA
- delivery notice: delivery without cover, end caps, mounting clamps, suspended wire and profile connector - please order them separately
- with IP-protected LED strip also suitable for outdoor use (PMMA cover)



Type	Length m	Article no. aluminum	Article no. white	Article no. black
aluminum profile 35/35	2	65935	65936	65932
aluminum profile 35/35	3	65938	65939	65933
aluminum profile 35/35K	2	65925	65926	65922
aluminum profile 35/35K	3	65928		

Cover	Article no.
cover clear	65997
cover semi-frosted	65994
cover opal white	65992
cover blacklight	62980
cover clear	65987
cover semi-frosted	65984
cover opal white	65982




Aluminum clothes rail profile 15/30S

aluminum clothes rail profiles for direct lighting, internal size for strips up to a width of 12 mm

- for indoor use
- material: aluminum anodised
- subjacent cover
- material cover: polycarbonate
- cover can be easily fitted and dismantled by clicking in at the front
- delivery notice: delivery without cover and fastenings - please order them separately



69560



Type	Length m	Article no.
aluminum profile 15/30S	2	69535
cover opal white	2	69572

Accessories	Article no.
fastening wall - metal	69569
fastening ceiling - metal	69560

Aluminum clothes rail profile 18/34S

aluminum clothes rail profiles for direct lighting, internal size for strips up to a width of 15 mm

- for indoor use
- material: aluminum anodised
- flat cover
- material cover: polycarbonate
- delivery notice: delivery without cover and fastenings - please order them separately



69589




Type	Length m	Article no.
aluminum profile 18/34S	2	69525
cover opal white	2	69598

Accessories	Article no.
fastening wall - metal	69589

Aluminum profile 18/13B

flexible aluminum profile, for strips up to a width of 10 mm

- for indoor use
- material: aluminum anodised




Type	Length m	Article no.
aluminum profile 18/13B	2	65215

Aluminum profile 18/6B

flexible aluminum profile, internal size for strips up to a width of 10 mm

- for indoor use
- material: aluminum anodised
- semicircular cover, frosted for a homogeneous lighting
- material cover: polycarbonate
- minimum bending diameter: 304.8 mm
- delivery notice: delivery without cover, end caps and mounting clamps - please order them separately
- **not suitable for VARDAflex in-feeders and direct connectors**




Type	Length m	Article no.
aluminum profile 18/6B	2	65205
cover, semicircular, frosted	2	65528
Accessories		Article no.
end cap in-feeder		65218
end cap		65219
mounting clamp - metal		65210



Photo: V/S@fotolia.com

Special surfaces are available in every RAL colour and various surfaces, such as high gloss or hammer finish look.





Phone +49 4242 840340
info@ruteclightdesign.com
www.ruteclightdesign.com