

PREMIUM CORDLESS  
TABLE LAMPS





# Customize your colours

All of our products are available in custom colours – rich and vibrant, for a unique visual experience. Not only does this bring new life to a minimalist concept, it also adds detailed decorative elements.

## Weather & Atmospheric Resistent Finish

01 Matt White	02 Matt Black	07 Dark Grey	08 Matt Yellow	09 Light Grey	10 Cadet Blue
11 Ocean Blue	12 Pale Green	13 Grey Beige	14 Patina Green	15 Ruby Red	16 Deep Orange
17 Cobolt Blue	18 Matt Green Grey	19 Corten	20 Matt Sand	21 Terracotta	22 Matt Blue

## Metallic Finish

03 Lustre Gold	04 Lustre Chrom	05 Lustre Space Gray	06 Lustre Copper
-------------------	--------------------	-------------------------	---------------------

# Premium Cordless Table Lamps

Ultra High  
Bright LEDs



More than  
8 hours at  
100% intensity



Brightness  
Memory  
Function



Touch  
Button



Visual Comfort  
Optical Diffuser



Multiple Colour  
Temperatures



Stepless  
Dimmable  
5% - 100%



Waterproof  
IP65





## 740010-xx

xx = color code - see page 2

### Technical Information

- 2.3 W
- 234 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 4.5 hours
- Working time > 8 hours (100% light intensity)

### Art.-No. 740900 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):  
One charger shelf charge 15 table lamps together




Touch  
Button



Stepless Dimmable  
5-100%



2200&2700 K  
color temperature



Brightness  
memory function



Li-ion battery  
3000 mAh



Working time  
> 8 h (100%)



Safety  
Class III



Waterproof  
IP65





## 740020-xx

xx = color code - see page 2

### Technical Information

- 2.2 W
- 223 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 4.5 hours
- Working time > 8 hours (100% light intensity)

### Art.-No. 740901 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):  
One charger shelf charge 15 table lamps together




Touch  
Button



Stepless Dimmable  
5-100%



2200&2700 K  
color temperature



Brightness  
memory function



Li-ion battery  
3000 mAh



Working time  
> 8 h (100%)



Safety  
Class III



Waterproof  
IP65





## 740030-xx

xx = color code - see page 2

### Technical Information

- 2.2 W
- 205 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 4.5 hours
- Working time > 8 hours (100% light intensity)

### Art.-No. 740902 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):  
One charger shelf charge 15 table lamps together



Touch  
Button



Stepless Dimmable  
5-100%



2200&2700 K  
color temperature



Brightness  
memory function



Li-ion battery  
3000 mAh



Working time  
> 8 h (100%)



Safety  
Class III



Waterproof  
IP65





## 740040-xx

xx = color code - see page 2

### Technical Information

- 2.9 W
- 215 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 6.5 hours
- Working time > 8 hours (100% light intensity)

### Art.-No. 740903 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A




Multi contact charging shelf (optional):

One charger shelf charge 6 table lamps together




Touch Button



Stepless Dimmable  
5-100%



2200&2700 K  
color temperature



Brightness  
memory function



Li-ion battery  
3000 mAh



Working time  
> 8 h (100%)



Safety  
Class III



Waterproof  
IP65



300 mm

110 mm

## 740050-xx

xx = color code - see page 2

### Technical Information

- 2.5 W
- 176 lm
- RGB, 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 4.5 hours
- Working time > 8 hours (100% light intensity)

### Art.-No. 740901 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



### Multi contact charging shelf (optional):

One charger shelf charge 15 table lamps together



Touch Button



Stepless Dimmable  
5-100%



RGBW



Brightness  
memory function



Li-ion battery  
3000 mAh



Working time  
> 8 h (100%)



Safety  
Class III



Waterproof  
IP65





## 740060-xx

xx = color code - see page 2

### Technical Information

- 3.5 W
- 270 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 6.5 hours
- Working time > 7,5 hours (100% light intensity)

### Art.-No. 740904 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



### Multi contact charging shelf (optional):

One charger shelf charge 6 table lamps together




Touch Button



Stepless Dimmable  
5-100%



2200&2700 K  
color temperature



Brightness  
memory function



Li-ion battery  
3000 mAh



Working time  
> 7,5 h (100%)



Safety  
Class III



Waterproof  
IP65



365 mm

112 mm



## 740070-xx

xx = color code - see page 2

### Technical Information

- 2.2 W
- 160 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 4.5 hours
- Working time > 9.5 hours (100% light intensity)

### Art.-No. 740901 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):  
One charger shelf charge 15 table lamps together




Touch  
Button



Stepless Dimmable  
5-100%



2200&2700 K  
color temperature



Brightness  
memory function



Li-ion battery  
3000 mAh



Working time  
> 9.5 h (100%)



Safety  
Class III



Waterproof  
IP65





## 740080-xx

xx = color code - see page 2

### Technical Information

- 2.5 W
- 205 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 6.5 hours
- Working time > 7.5 hours (100% light intensity)

### Art.-No. 740905 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):  
One charger shelf charge 6 table lamps together




Touch Button



Stepless Dimmable  
5-100%



2200&2700 K  
color temperature



Brightness  
memory function



Li-ion battery  
3000 mAh



Working time  
> 7.5 h (100%)



Safety  
Class III



Waterproof  
IP65



200 mm

90 mm



## 740090-xx

xx = color code - see page 2

### Technical Information

- 2.5 W
- 200 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 6.5 hours
- Working time > 8.5 hours (100% light intensity)

### Art.-No. 740905 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



### Multi contact charging shelf (optional):

One charger shelf charge 6 table lamps together




Touch  
Button



Stepless Dimmable  
5-100%



2200&2700 K  
color temperature



Brightness  
memory function



Li-ion battery  
3000 mAh



Working time  
> 8.5 h (100%)



Safety  
Class III



Waterproof  
IP65





## 740100-xx

xx = color code - see page 2

### Technical Information

- 2.5 W
- 180 lm
- RGB+2700, 3000 & 4000 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 6.5 hours
- Working time > 11 hours (100% light intensity)

### Art.-No. 740909 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):

One charger shelf charge 15 table lamps together



Touch  
Button



Stepless Dimmable  
5-100%



2700, 3000, 4000 K  
color temperature



Brightness  
memory function



Li-ion battery  
3000 mAh



Working time  
> 11 h (100%)



Safety  
Class III



RGBW



Waterproof  
IP65



## 740110-xx

xx = color code - see page 2

### Technical Information

- 2.2 W
- 150 lm
- 2200 & 2700 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: 6 hours, USB-C Type
- Working time > 9 hours (100% light intensity)




Touch  
Button



Stepless Dimmable  
5-100%



2200&2700 K  
color temperature



Brightness  
memory function



Li-ion battery  
3000 mAh



Working time  
> 9 h (100%)



Safety  
Class III



Waterproof  
IP65





## 740120-xx

xx = color code - see page 2

### Technical Information

- 1 W
- 10 lm
- 2200 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: <2.5 hours
- Working time > 7.5 hours (100% light intensity)

### Art.-No. 740901 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):

Stackable up to 3 levels.

One charger shelf charge 15 table lamps together



Touch Button



Stepless Dimmable  
15-100%



2200 K  
color temperature



Li-ion battery  
1500 mAh



Working time  
> 7.5 h (100%)



Safety  
Class III



Waterproof  
IP65





## 740130-xx

xx = color code - see page 2

### Technical Information

- 1 W
- 10 lm
- 2200 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: <2.5 hours
- Working time > 7.5 hours (100% light intensity)

### Art.-No. 740901 Adapter (included):

- CLASS II
- Input AC100 - 240 V
- Output DC 5V 1A



Multi contact charging shelf (optional):

Stackable up to 3 levels.

One charger shelf charge 15 table lamps together



Touch Button



Stepless Dimmable  
15-100%



2200 K  
color temperature



Li-ion battery  
1500 mAh



Working time  
> 7,5 h (100%)



Safety  
Class III



Waterproof  
IP65





## 740140-xx

xx = color code - see page 2

### Technical Information

- 1 W
- 10 lm
- 2200 K, CRI 80
- application: indoor and outdoor, IP65
- Charge Time: <2.5 hours
- Working time > 7.5 hours (100% light intensity)

### Art.-No. 740901 Adapter (included):

- CLASS II
- Input AC 100 - 240 V
- Output DC 5V 1A




Multi contact charging shelf (optional):

Stackable up to 3 levels.

One charger shelf charge 15 table lamps together



Touch  
Button



Stepless Dimmable  
15-100%



2200 K  
color temperature



Li-ion battery  
1500 mAh



Working time  
> 7.5 h (100%)



Safety  
Class III



Waterproof  
IP65



# Charging Systems

Recharging and storage multi-contact charging shelf. Stackable up to 3 levels. One charger shelf charges 6 or 15 lamps together



**740906**  
Charger shelf  
for 6 lamps  
incl. 4 plastic shelf supports  
(47 x 29 cm)



**740907**  
Charger shelf for 15 lamps  
incl. 4 plastic shelf supports  
(47 x 29 cm)



TAYLORMADE. LIGHT. DESIGN.



Phone (+49) 4242 840340  
info@ruteclightdesign.com  
www.ruteclightdesign.com